Package: HelloFrog (via r-universe)

October 22, 2026

Type Package

Title A Quirky ASCII-Art Frog Alternative to 'print'

Version 0.1.1

Description Prints a user-supplied message alongside a small ASCII-art frog in one of several moods (default, sleepy, angry, party, ninja). Designed as a quirky alternative to 'print' for adding visual flair to console output in scripts, demos, teaching materials, and command-line tools.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.2

NeedsCompilation no

Author Linoy Levi [aut, cre]

Maintainer Linoy Levi <linoyl@jfrog.com>

Repository https://linoyljf.r-universe.dev

Date/Publication 2026-05-27 08:50:14 UTC

RemoteUrl https://github.com/cran/HelloFrog

RemoteRef HEAD

RemoteSha 74fee36a7aeddad536e3ff971d454858aa8fb47e

Contents

say 2

Index **3**

say *Print a Message with an ASCII-Art Frog*

Description

A quirky alternative to `print`: prints the supplied message to standard output alongside a small ASCII-art frog in one of several moods.

Usage

```
say(
  message = "Hello Frog!",
  mood = c("default", "sleepy", "angry", "party", "ninja")
)
```

Arguments

`message`	A character string to display. Defaults to `"Hello Frog!"`.
`mood`	The frog's mood. One of `"default"`, `"sleepy"`, `"angry"`, `"party"`, or `"ninja"`. Partial matching is supported.

Value

A character string containing the rendered output (message plus ASCII art), returned invisibly. Useful for tests and for capturing the output without re-rendering.

Examples

```
say()
say("Good morning!")
say("zzz...", mood = "sleepy")
say("Where did it go?", mood = "ninja")
```

Index

print, *2*

say, 2